
INDUSTRIAL DEHUMIDIFIER TYPE

LT168- LT960

LLTA

Focus on temperature and humidity system solution



DEHUMIDIFIER SYSTEM

www.dwimitrateknindo.com

■ Features



LT 168/210/240-D030B

 **LED DISPLAY**

 **ENERGY SAVING**

 **HUMIDITY SETTING RANGE 10% - 95% RH**

 **AUTO DEFROST**

 **AIR FILTER IS EASY TO REMOVE, EASY TO CLEAN**

■ Specification Data

Model No	LT168-D030B	LTD210-D030B	LT240-D030B
Dehumidifying Capacity (30°C 80%RH)	168 L/D	210 L/D	240 L/D
Power Supply	AC 220V/50Hz/1PH AC 220V/60Hz/1PH AC 380V/50Hz/3PH	AC 220V/50Hz/1PH AC 220V/60Hz/1PH AC 380V/50Hz/3PH	AC 220V/50Hz/1PH AC 220V/60Hz/1PH AC 380V/50Hz/3PH
Rated Input (W)	2820	4210	4900
Rated Current (A)	4.3	6.31	7.4
Refrigerant	R407C/R410A	R407C/R410A	R407C/R410A
Air Circulation (m3/h)	1520	2300	2600
Noise Level dB (A)	68	68	68
Operation Temperature	5-35°C	5-35°C	5-35°C
Dimension DxWxH (mm)	610x400x1600	770x470x1750	770x470x1750
Packing Dimension DxWxH (mm)	670x510x1700	830x530x1900	830x530x1900
Net Weight (kg)	94	194	150
Gross Weight (kg)	112	155	160

■ Specification Data

Model No	LT360-D030B	LT480-D030B
Dehumidifying Capacity (30°C 80%RH)	360 L/D	480 L/D
Power Supply	AC 220V/60Hz/3PH AC 380V/50Hz/3PH	AC 220V/60Hz/3PH AC 380V/50Hz/3PH
Rated Input (W)	7200	10000
Rated Current (A)	11	15.2
Refrigerant	R407C/R410A	R407C/R410A
Air Circulation (m3/h)	4000	5000
Noise Level dB (A)	75	75
Operation Temperature	5-35°C	5-35°C
Dimension DxWxH (mm)	1190x450x1750	1190x450x1750
Packing DxWxH (mm)	1310x600x900	1310x600x900
Net Weight (kg)	220	250
Gross Weight (kg)	240	270



LT 360/480-D030B

Model No	LT720-D030B	LT960-D030B
Dehumidifying Capacity (30°C 80%RH)	720 L/D	960 L/D
Power Supply	AC 220V/60Hz/3PH AC 380V/50Hz/3PH	AC 220V/60Hz/3PH AC 380V/50Hz/3PH
Rated Input (W)	15000	19000
Rated Current (A)	22.8	29
Refrigerant	R407C/R410A	R407C/R410A
Air Circulation (m3/h)	8000	10000
Noise Level dB (A)	75	75
Operation Temperature	5-35°C	5-35°C
Dimension DxWxH (mm)	2060x570x1750	2200x456x1910
Packing DxWxH (mm)	2160x670x1900	2300x556x2060
Net Weight (kg)	300	330
Gross Weight (kg)	330	370



LT720/960-D030B



Display Controller

■ Application



Library



Warehouse



Hospital



Labolatory



Garment Industry



Food & Beverage Industry

■ Application



Shopping Center



Hotel



Restaurant



Indoor Sports



Show Hall



Office

Reference Project

PT. SARI KALDU NABATI



SUPPLY DAN DESIGN SYSTEM TATA UDARA RUANG FILLING DAN FORMULASI GEDUNG A

RSGM UNJANI



CLEAN ROOM RSGM UNJANI CLEAN ROOM RUANG OPERASI MOT ROOM CLASS 1000

RS BHAYANGKARA SOLO



CLEAN ROOM RS BHAYANGKARA SOLO CLEAN ROOM RUANG OPERASI MOT ROOM CLASS 1000

PT. MAYORA INDAH TBK



INSTALASI HVAC SPLIT DUCT PT. MAYORA INDAH TBK, PLANT BISKUIT TANGERANG

PT. DAIRYGOLD INDONESIA




PROJECT SYTEM HVAC CLASS 100.000 PT. DAIRYGOLD INDONESIA

RSUD KAB. BANGKA SELATAN



CLEAN ROOM RSUD BANGKA SELATAN, CLEAN ROOM RUANG OPERASI MOT ROOM CLASS 1000



PT. DWI MITRA TEKNINDO



dwimitrateknindo



PT DWI MITRA TEKNINDO



www.dwimitrateknindo.com



dwimitrateknindo1@gmail.com

